



Numéro de commande du produit



2L Dilution/Yield Rate

16 mL/Liter (1:16) Makes 128 Liters 16 mL/Liter (1:64) Makes 128 Liters

DS 106 Neutral Disinfectant

Cleaner, Disinfectant, Deodorizer & Detergent

(on hard non-porous inanimate surfaces)

Fungicide (against pathogenic fungi)

Nettoyant, Désinfectant, Désodorisant & Détergent

Mildewstat (sur les surfaces dures non poreuses inanimées)

Fongicide (contre les champignons pathogènes)

DIN - 02510235 Lot #

Expiry

bullfrogproducts.ca

St.Albert, AB, T8N 6C1 Questions? Comments? 1-866-543-5276

Active Ingredients / Ingrédients Actifs

2 L

CAUTION - CORROSIVE

Read label before using.

KEEP OUT OF REACH OF CHILDREN

GARDER HORS DE PORTÉE DES ENFANTS

Lire l'étiquette avant d'utiliser. MISE EN GARDE - CORROSIF

DS 106 is a phosphate-free formulation designed to provide effective cleaning, deodorizing & disinfection in hospitals, nursing homes, hotels, schools, food processing establishments, restaurants, athletic/recreation facilities, sports stadiums, amphitheaters, convention centers & other institutions where housekeeping is of prime importance in controlling cross-contamination from treated surfaces. When used as directed, this product is formulated to disinfect hard non-porous inanimate environmental surfaces such as floors, walls, metal surfaces, stainless steel surfaces, porcelain, glazed ceramic tile, plastic surfaces, bathrooms, shower stalls, bathtubs, cabinets & artificial turf surfaces. For larger areas such as operating rooms & patient care facilities, this product is designed to provide both general cleaning and disinfecting. This product deodorizes those areas which generally are hard to keep fresh smelling, such as garbage cans, storage areas, empty garbage bins/cans, toilet bowls & other areas which are prone to odors caused by micro-organisms. This product is formulated to a neutral pH & will not dull high-gloss floor

finishes with repeated use.

This product is not to be used as a sterilant/high-level disinfectant on any surface or instrument that is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

PRECAUTIONS: KEEP OUT OF BEACH OF CHILDREN CAUTION: CORROSIVE, Causes eve & skin damage, Do not XX get in eyes, on skin or on clothing. Wear goggles or face shield & rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food during application & storage. Remove contaminated clothing & wash before reuse. Wash thoroughly with soap & water after handling.

FIRST AID: Take container, label or product name & Drug Identification Number (DIN) with you when you seek medical attention.

SKIN & EYES: In case of contact, immediately flush with plenty of water for at least 15 minutes

EYES: Call a physician.

INGESTION: If swallowed, drink large quantities of water. Avoid alcohol. Call a physician or poison control center immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE & DISPOSAL

STORAGE: Store at room temperature.

DISPOSAL: Rinse the emptied container thoroughly prior to disposal. Make the empty container unsuitable for further use. Non-refillable container/do not reuse or refill this container. Dispose of the empty container in accordance with municipal/provincial/territorial requirements. Offer for recycling, if available. For information on disposal of unused, unwanted product, contact the manufacturer or the appropriate municipal/provincial/territorial agency or product stewardship organization.

DIRECTIONS FOR USE

DISINFECTION/DEODORIZATION: To disinfect inanimate, hard non-porous surfaces add 16 mL of DS 106 per 1L of water. Apply solution with a mop, cloth, sponge or hand- pump trigger spraver so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, then remove excess liquid. For heavily soiled areas, a pre-cleaning step is required. Prepare a fresh solution for each use.

DISINFECT TOILET BOWLS: Remove gross filth/soils from surfaces with bowl brush. Add 16 mL of product to the bowl water. Brush or swab the bowl completely using a scrub brush or toilet mop making sure to get under the rim. Let stand for 10 minutes and flush.

DISINFECT FOOD PROCESSING ESTABLISHMENTS: To disinfect food processing premises; floors, walls, storage area and equipment, add 16 mL per 1L of water. Apply solution with a mop. cloth, sponge or hand pump trigger sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, then remove excess liquid. Before using this product, food products and packaging materials must be removed from area and carefully protected. After use, all surfaces in the area must be rinsed with potable water.

BACTERIAL ACTIVITY: At the 16 mL per 1L dilution, this product demonstrates effective activity against the organisms: • Bordetella bronchiseptica • Corynebacterium ammoniagenes Enterobacter aerogenes
 Enterobacter cloacae
 Enterobacter cloacae (clinical isolate) Enterococcus faecalis · Enterococcus faecalis (clinical isolate) · Escherichia coli (clinical isolate) Enterococcus faecalis (Vancomycin resistant) · Escherichia coli · Fusobacterium necrophorum Klebsiella pneumoniae subsp. pneumoniae
 Listeria monocytogenes
 Pasteurella multocid

- Lactobacillus casei subs. rhamnosus · Proteus mirabilis ATCC 25933 · Proteus vulgaris · Salmonella enterica
- Proteus mirabilis ATCC 9921
 Pseudomonas aeruginosa
- Salmonella choleraesuis subsp. choleraesuis serotype paratyphi B
- · Salmonella choleraesuis subsp. choleraesuis serotype pullorum
- · Salmonella choleraesuis subsp. choleraesuis serotype typhi
- Salmonella choleraesuis subsp. choleraesuis serotype typhimurium
 Shigella flexneri Type 2
- Shigella sonnei Staphylococcus aureus Staphylococcus aureus (clinical isolate)
- Staphylococcus aureus (Methicillin resistant)
 Staphylococcus aureus (Vancomycin Intermediate) Staphylococcus epidermidis Streptococcus pyogenes (clinical flesh eating strain - Bird M3)
 - Streptococcus pyogenes Group A

Salmonella enteritidis

· Serratia marcescens

Shigella dysenteria

Ampicillin resistant Acinetobacter baumannii

Ceftriaxone resistant Acinetobacter baumannii

- Staphylococcus epidermidis (clinical isolate)
- · Xanthamonas maltophilia (clinical isolate) Bactrim resistant Acinetobacter baumannii
- Ceftriamicin resistant Acinetobacter baumannii
 Cefazolin resistant Acinetobacter baumannii
- Ciprofloxacin resistant Acinetobacter baumannii · Gentamicin resistant Acinetobacter baumannii
- Levofloxacin resistant Acinetobacter baumannii · Tobramycin resistant Acinetobacter baumannii Community Associated Methicillin resistant Staphylococcus aureus (CA-MRSA) NRS 123 Genotype USA400 · Community Associated Methicillin resistant Staphylococcus aureus (CA-MBSA) NBS384

Genotype USA300

FUNGICIDAL ACTIVITY: At the 16 mL per 1L dilution, DS 106 demonstrates effective fungicidal activity against the pathogenic fungi Trichophyton interdigitale and Candida albicans. EFFICACY TESTS HAVE DEMONSTRATED THAT NEUTRAL DISINFECTANT IS AN EFFECTIVE FUNGICIDE IN WATER UP TO 200 PPM HARDNESS (AS CaCO3) IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM).

MILDEWSTAT: To control mold and mildew (such as Aspergillus niger) and the odors they cause on pre-cleaned, hard, non-porous surfaces add 16 mL per 1L of water. Apply solution with a cloth, mop or sponge making sure to wet all surfaces completely. Let air dry, Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth reappears.

DS 106 when used on environmental, inanimate hard non-porous surfaces at 16 mL per 1L of water exhibits effective kill activity against: • Avian Influenza A (H3N2)

- Avian Influenza A Turkey/Wisc/66 (H9N2)
 Bovine Rhinotracheitis
- Canine Distemper virus
 Feline Leukemia
 Feline Picornavirus
 Paramyxovirus
- Influenza A2/Hong Kong
 Herpes Simplex Type 1 (causative agent for fever blisters)
- Herpes Simplex Type 2 (genital disease)
 Pseudorables
 SARS Associated Coronavirus
- Human Immudodeficiency Virus Type 1 & Type 2 (HIV-1 & HIV-2)
 Vaccinia DS 106 has demonstrated effectiveness against Vaccinia & Influenza A virus and is

expected to inactivate all Influenza A viruses including 2009 (H1N1) pandemic Influenza A virus

KILLS SARS ASSOCIATED CORONAVIRUS & IS LIKELY TO KILL THE SARS-COV-2 (THE VIRUS THAT CAUSES COVID-19).

KILLS HIV-, HIV-2 ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings (hospitals, nursing homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential transmission of Human Immunodeficiency Virus Type 1 & Type 2 (HIV-1 & HIV-2). SPECIAL INSTRUCTIONS FOR CLEANING & DECONTAMINATION AGAINST HIV-1, HIV-2 OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks, or eye coverinas.

CLEANING PROCEDURES: Blood/body fluids must be thoroughly cleaned from surfaces and objects before application of this product. CONTACT TIME/DILUTION: At 16 mL per 1L of water, DS 106 is effective against HIV-1 & HIV-2 in the presence of 5% blood serum with a 10 minute contact time

INFECTIOUS MATERIAL DISPOSAL: Any materials used in the cleaning process that may contain blood or body fluids are to be disposed of immediately in accordance with local regulations for infectious materials disposal. EFFICACY TESTS HAVE DEMONSTRATED THAT THIS PRODUCT IS AN EFFECTIVE BACTERICIDE, & VIRUCIDE IN WATER UP TO 400 PPM HARDNESS (AS CaCO3) IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM).

> (• French/ Français Label





This information and our recommendations are furnished without warranty, expressed or implied. The manufacture's sole obligations shall be to replace the portion of the product proven defective. The seller/manufacturer shall not be liable for any loss, damage, or injury from the use of this product.