

Safety Data Sheet according to the Hazardous Products Regulation (February 11, 2015) Version: 1.0

SECTION 1: Identification	
1.1. Product identifier	
Product form	: Mixture
Trade name	: FOAM FIGHTER
Product group	: Trade product
1.2. Recommended use and restriction	
Recommended use	: Washing and cleaning products (including solvent based products)
1.3. Supplier	
Manufacturer AxSys Direct Manufacturing 4523 97 Street T6E 5Y8 Edmonton, AB - Canada T 780-436-2606 - F 780-434-5904	
1.4. Emergency telephone number	
Emergency number	: FOR EMERGENCIES INVOLVING DANGEROUS GOODS CALL CANUTEC'S 24HR NUMBER 613-996-6666
SECTION 2: Hazard identification	
2.1. Classification of the substance of	r mixture
Classification (GHS-CA)	
Flammable liquids Category 4 Skin corrosion/irritation Category 1A Serious eye damage/eye irritation Category 1	H227 H314 H318
Full text of H statements : see section 16	
2.2. GHS Label elements, including p	recautionary statements
GHS-CA labeling	•
Hazard pictograms (GHS-CA)	
Signal word (GHS-CA)	: Danger
Hazard statements (GHS-CA)	: H227 - Combustible liquid H314 - Causes severe skin burns and eye damage
Precautionary statements (GHS-CA)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P260 - Do not breathe dust/fume/gas/mist/vapors/spray. P264 - Wash hands, forearms and face thoroughly after handling. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF NEYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor. P321 - Specific treatment (see supplemental first aid instruction on this label) P363 - Wash contaminated clothing before reuse. P370+P378 - In case of fire: Use media other than water to extinguish. P403 - Store in a well-ventilated place. P405 - Store locked up. P501 - Dispose of contents/container to an approved waste disposal plant
0.0 Other barry to	
2.3. Other hazards	
No additional information available	

Unknown acute toxicity (GHS-CA) 2.4.

No data available

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. N	Mixtures
--------	-----------------

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS-CA)
Name butyl glycolether	Chemical name / Synonyms butyl glycolether 2-BE / 2-butoxy-1-ethanol / 2 butoxyethanol / 2-n-butoxyethanol / 2-normal-butoxyethanol / 3-oxa-1- heptanol / A13-0993 / beta- butoxyethanol / BGE / breaxit 8002 / BUCS / butoxyethanol / butoxyethanol, normal- / butyl cellosolve / butylcellu-sol / butylescosolve / butylethyleneglycol, ortho- / butylglycol ether / butylglycol-cellosolve / butyljaysolve / butylglycol-cellosolve / butyljaysolve / butylene glycol monobutyl ether / ethylene glycol normal-butyl ether / ethylene glycol normal-butyl ether / ethylene glycol normal-butyl ether / ethyleneglycol normal-butyl ether / ethyleneglycolmonobutyl ether / ethyleneglycol-normal-butyl ether / daFCOL EB / glycol ether EB / glycol ether EB acetate / glycolbutyl ether / glycolmonobutyl ether / jeffersol EB / minex BDH / monobutyl ether of ethyleneglycol / normal- butoxyethanol / O- butylethyleneglycol / rotho- butylethyleneglycol / rotho- butylethyleneglycol / rotho- butylethyleneglycol / POLY-SOLV EB / Substances with a flash-point above 60 °C and not more than 100 °C , which do not belong to another class	CAS-No.) 111-76-2	% 1 - 30	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315
disodium metasilicate	disodium metasilicate ácido silícico, sal disódica / anhydrous sodium metasilicate / Dinatriumtrioxosilikat / disodio metasilicato / disodium metasilicate / disodium monosilicate / Kieselsäure, Na-Salz (=Dinatriummetasilikat) / métasilicate de soude / metasilicato de sodio / metasilicato di sodio / metasilicato sódico / natriummetasilicat / Natriummetasilicat / Natriummetasilikat / natriumsilicaat (=dinatriummetasilikat / natriumsilicaat (=dinatriummetasilikat / natriumsilicat (=Dinatriummetasilikat) / natriumsilikat (=dinatriummetasilikat) / Natronwasserglas, Pulver / silicate de sodium (=métasilicate de disodium) / silicate de soude, atomisé / silicate de soude, silicic acid, disodium salt / sodio silicato (=metasilicato de disodio) / sodiometasilicate (Na2SiO3) / sodium metasilicate (aisodium metasilicate) / sodium silicate, powder (=disodium metasilicate)	(CAS-No.) 6834-92-0	0.5 - 20	Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS-CA)
trisodium orthophosphate	TSP ANTISAL 4 / DRI-TRI / E339(III) / emulsiphos 440/660 / fosfato de sosa neutro / fosfato di sodio / fosfato sódico tribásico / monophosphate trisodique / Na9148 / natriumfosfaat / natriumfosfat / Natriumphosphate trisodique / Na9148 / natriumphosphate trisodique / orthophosphate trisodique / orthophosphate trisodique / orthophosphate trisodique / ortofosfato trisódico / ortofosfato trisodio / phosphate de sodium tribasique / phosphate de sodue neutre / phosphate trisodique / phosphoric acid, trisodium salt / sodium orthophosphate / sodium phosphate / tert sodium phosphate / tertiär-Natriumphosphat / tertiary sodium phosphate / tertiary-sodium orthophosphate / tertiasc sodium orthophosphate / tribasic sodium orthophosphate / tribasic sodium phosphate / trinatriumfosfaat / trinatriummonofosfaat / Trinatriumphosphat / trisodio fosfato / trisodium phosphate / trimate / Trinatriumphosphat / trisodio fosfato / trisodium phosphate / tromete / TSP	(CAS-No.) 7601-54-9	0.5 - 10	Skin Corr. 1A, H314 Eye Dam. 1, H318

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Call a physician immediately.
First-aid measures general	: Call a physician immediately.
4.2. Most important symptoms and eff	ects (acute and delayed)
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.
4.3. Immediate medical attention and s	pecial treatment, if necessary
Other medical advice or treatment	: Treat symptomatically.

SECT	ION 5: Fire-fighting measures	
5.1.	Suitable extinguishing media	
Suitabl	e extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2.	Unsuitable extinguishing media	
No add	litional information available	
5.3.	Specific hazards arising from the h	azardous product
Fire ha	zard	: Combustible liquid.
5.4.	Special protective equipment and p	precautions for fire-fighters
Protect	ion during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECT	ION 6: Accidental release mea	isures
6.1.	Personal precautions, protective ed	quipment and emergency procedures
No add	litional information available	
6.2.	Methods and materials for containr	ment and cleaning up

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Other in	formation	: Dispose of materials or solid residues at an authorized site.
6.3.	Reference to other sections	
For furth	her information refer to section 8 Exposu	ure controls/personal protection" "
SECT	ION 7: Handling and storage	
7.1.	Precautions for safe handling	
Precaut	ions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapors/spray.
Hygiene	e measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash contaminated clothing before reuse.
7.2.	Conditions for safe storage, includ	ing any incompatibilities

Storage conditions

: Store in a well-ventilated place. Keep cool. Store locked up.

SECTION 8: Exposure controls/personal protection

8.1. Control para	imeters		
butyl glycolether (11	1-76-2)		
USA - ACGIH	ACGIH TWA (ppm)	20 ppm (2-Butoxyethanol (EGBE); USA; Time- weighted average exposure limit 8 h; TLV - Adopted Value)	
USA - ACGIH	Remark (ACGIH)	Eye & URT irr	
USA - OSHA	OSHA PEL (TWA) (mg/m ³)	240 mg/m³	
USA - OSHA	OSHA PEL (TWA) (ppm)	50 ppm	
8.2. Appropriate engineering controls			

Appropriate engineering controls

: Ensure good ventilation of the work station.

Environmental exposure controls

: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment.

SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and chemical properties			
Physical state	: Liquid		
Appearance	: No data available		
Color	: red		
Odor	 There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odour(s): Odourless Irritating/pungent odour Mild odour Pleasant odour Sweet odour Aromatic odour 		
Odor threshold	: No data available		
рН	: 14		
Relative evaporation rate (butyl acetate=1)	: No data available		
Relative evaporation rate (ether=1)	: No data available		
Melting point	: Not applicable		
Freezing point	: 0 °C		
Boiling point	: 100 °C		
Flash point	: No data available		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Flammability (solid, gas)	: Not applicable
Vapor pressure	: No data available
Vapor pressure at 50 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Explosion limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reacti	vity
10.1. Reactivity	
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: Avoid contact with hot surfaces. Heat. No flames, No sparks. Eliminate all sources of ignition.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1. Information on toxicologica	effects	
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	

trisodium orthophosphate (7601-54-9)	trisodium orthophosphate (7601-54-9)		
LD50 oral rat	> 2000 mg/kg body weight (OECD 420: Acute Oral toxicity – Acute Toxic Class Method, Rat, Female, Experimental value)		
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Read- across)		
LC50 inhalation rat (mg/l)	> 0.83 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male/female, Read-across)		
disodium metasilicate (6834-92-0)			
LD50 oral	770 - 820 mg/kg body weight (OECD 401: Acute Oral Toxicity, Mouse, Male/female, Experimental value)		
LD50 dermal rat	> 5000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Read- across)		
LC50 inhalation rat (mg/l)	> 2.06 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male/female, Read-across)		
butyl glycolether (111-76-2)			
LD50 dermal rat	> 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)		
LD50 dermal rabbit	435 mg/kg body weight (Rabbit; Experimental value; OECD 402: Acute Dermal Toxicity; 435 mg/kg bodyweight; Rabbit; Weight of evidence; Equivalent or similar to OECD 402)		
LC50 inhalation rat (mg/l)	2.17 mg/l/4h (Rat; Experimental value; 2.35 mg/l/4h; Rat; Experimental value)		
LC50 inhalation rat (ppm)	450-486,Rat; Weight of evidence		
Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: 14		
Serious eye damage/irritation	: Causes serious eye damage. pH: 14		
Respiratory or skin sensitization	. Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
Specific target organ toxicity - single exposure	: Not classified		
Specific target organ toxicity – repeated exposure	: Not classified		
Aspiration hazard	: Not classified		

Symptoms/effects after skin contact	: Burns.	
Symptoms/effects after eye contact	: Serious damage to eyes.	
Symptoms/effects after ingestion	: Burns.	
SECTION 12: Ecological information	on	
2.1. Toxicity		
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Before neutralisation, the product may represent a danger to aqua organisms.	
trisodium orthophosphate (7601-54-9)		
LC50 fish 1	220 mg/l (96 h, Lepomis macrochirus, Experimental value)	
disodium metasilicate (6834-92-0)		
LC50 fish 1	210 mg/l (Equivalent or similar to OECD 203, 96 h, Brachydanio rerio, Semi-static system, Fresh water, Experimental value)	
EC50 Daphnia 1	1700 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Read-across)	
2.2. Persistence and degradability		
trisodium orthophosphate (7601-54-9)		
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.	
Biochemical oxygen demand (BOD)	Not applicable	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	
disodium metasilicate (6834-92-0)		
Persistence and degradability	Biodegradability: not applicable.	
Biochemical oxygen demand (BOD)	Not applicable	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	
butyl glycolether (111-76-2)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air.	
Biochemical oxygen demand (BOD)	0.71 g O ₂ /g substance	
Chemical oxygen demand (COD)	2.2 g O ₂ /g substance	
ThOD	2.305 g O ₂ /g substance	
BOD (% of ThOD)	0.31	
2.3. Bioaccumulative potential		
trisodium orthophosphate (7601-54-9)		
Bioaccumulative potential	No bioaccumulation data available.	
disodium metasilicate (6834-92-0)		
Bioaccumulative potential	Bioaccumulation: not applicable.	
butyl glycolether (111-76-2)		
Log Pow	0.81 (Experimental value; BASF test; 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
2.4. Mobility in soil		
trisodium orthophosphate (7601-54-9) Ecology - soil	No (test)data on mobility of the substance available.	
disodium metasilicate (6834-92-0)		
Ecology - soil	No (test)data on mobility of the substance available.	
butyl glycolether (111-76-2)		

12.5. Other adverse effects

GWPmix comment

Surface tension Log Pow

: No known effects from this product.

0.81 (Experimental value; BASF test; 25 °C)

0.027 N/m (25 °C)

Safety Data Sheet

SECTION 13: Disposal consideratio	nns
	JIS .
13.1. Disposal methods Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
waste treatment methods	
SECTION 14: Transport information	
14.1. Basic shipping description	
In accordance with TDG	
Transportation of Dangerous Goods	
UN-No. (TDG)	: UN3253
Packing group	: III - Minor Danger
TDG Primary Hazard Classes	: 8 - Class 8 - Corrosives
Transport document description	: UN3253 DISODIUM TRIOXOSILICATE, 8, III
Proper Shipping Name (Transportation of Dangerous Goods)	: DISODIUM TRIOXOSILICATE
Hazard labels (TDG)	: 8 - Corrosive substances
	8
Explosive Limit and Limited Quantity Index	: 5 kg
Excepted quantities (TDG)	: E1
Passenger Carrying Road Vehicle or Passenge Carrying Railway Vehicle Index	r : 25 kg
14.2. Transport information/DOT	
Department of Transport	
Not regulated for transport	
14.3. Air and sea transport	
MDG	
Not regulated for transport	
ATA	
Not regulated for transport	
SECTION 15: Regulatory informatio	n
15.1. National regulations	
No additional information available	
15.2. International regulations	
trisodium orthophosphate (7601-54-9)	
Listed on the United States TSCA (Toxic Subs	stances Control Act) inventory
disodium metasilicate (6834-92-0)	

Listed on the United States TSCA (Toxic Substances Control Act) inventory

SECTION 16: Other information

SDS Major/Minor

: None

Full text of H-phrases:

H227	Combustible liquid
H302	Harmful if swallowed
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

H332	Harmful if inhaled
H335	May cause respiratory irritation

SDS Canada (GHS)

While the descriptions, data and information contained herein are presented in good faith and believed to be current, it is provided for guidance only. Because there are so many factors that may affect processing, application or other use, we recommended that you perform an assessment to determine the suitability of the product for your particular purpose prior to use. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. No warranties of any kind, either expressed or implied, including fitness for a particular purpose, are made regarding the product described. We assume NO responsibility for any injuries sustained from misuse or misapplication of this product or that might be experienced due to inhalation, ingestion, absorption or other contact with this product. In no case shall the descriptions, information or data provided be considered a part of our terms and conditions of sale. Further, the descriptions, data and information furnished hereunder are given gratis. No obligation or liability for the description, data and information given are assumed. All such, it has been given and accepted at your risk.