

### SECTION 1: Identification

#### 1.1. Product identifier

Product form : Mixture  
 Trade name : RIDE  
 Product group : Trade product

#### 1.2. Recommended use and restrictions on use

Recommended use : Washing and cleaning products (including solvent based products)

#### 1.3. Supplier

##### Manufacturer

AxSys Direct Manufacturing  
 4523 97 Street  
 T6E 5Y8 Edmonton, AB - Canada  
 T 780-436-2606 - F 780-434-5904

#### 1.4. Emergency telephone number

Emergency number : FOR EMERGENCIES INVOLVING DANGEROUS GOODS CALL CANUTEC'S 24HR NUMBER 613-996-6666

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

##### Classification (GHS-CA)

Skin corrosion/irritation Category 1A H314  
 Serious eye damage/eye irritation Category 1 H318  
 Full text of H statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

##### GHS-CA labeling

Hazard pictograms (GHS-CA) :



Signal word (GHS-CA) :

Danger

Hazard statements (GHS-CA) :

H314 - Causes severe skin burns and eye damage

Precautionary statements (GHS-CA) :

P260 - Do not breathe dust/fume/gas/mist/vapors/spray.  
 P264 - Wash hands, forearms and face thoroughly after handling.  
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
 P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting  
 P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .  
 P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 - Immediately call a POISON CENTER or doctor.  
 P321 - Specific treatment (see supplemental first aid instruction on this label)  
 P363 - Wash contaminated clothing before reuse.  
 P405 - Store locked up.  
 P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS-CA)

No data available

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

# RIDE

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS-CA)
sodium carbonate	anhydrous soda / ash / bisodium carbonate / calcined soda(=sodium carbonate) / carbonate de sodium, neutre / carbonate de sodium, sec, neutre / carbonato de dissódio / carbonato sódico / carbonic acid disodium salt / carbonic acid sodium salt / CASWELL NO. 752 / chrysol carbonate / crystol carbonate (=sodium carbonate) / kohlenaures Natrium / natrium carbonicum calcinatum / natrium carbonicum siccatum / natural ash / Na-X / sel de soude (=carbonate de sodium) / snowlite 1 / soda (=sodium carbonate) / soda ash / Soda kalziniert / soda, crystals / sodium carbonate / sodium carbonate, anhydrous / sodium carbonate, anhydrous ASTM D458 / sodium carbonate, anhydrous GE materials D4D5 / sodium carbonate, anhydrous powder / sodium carbonate, crude / sodium carbonate, granular / Solvay soda / sosa cristal / soude (=carbonate de sodium) / synthetic ash / washing soda (=sodium carbonate)	(CAS-No.) 497-19-8	1 - 50	Skin Corr. 1A, H314 Eye Dam. 1, H318
disodium metasilicate	disodium metasilicate / ácido silícico, sal disódica / anhydrous sodium metasilicate / Dinatriumtrioxosilikat / disodio metasilicato / disodium metasilicate / disodium monosilicate / Kieselsäure, Na-Salz (=Dinatriummetasilikat) / métasilicate de soude / metasilicato de sodio / metasilicato di sodio / metasilicato sódico / natriummetasilicaat / Natriummetasilicat / Natriummetasilicat, wasserfrei / Natriummetasilikat / natriumsilicaat (=dinatriummetasilicaat) / Natriumsilicat (=Dinatriummetasilikat) / natriumsilikat (=dinatriummetasilikat) / Natronwasserglas, Pulver / silicate de sodium (=métasilicate de disodium) / silicate de soude, atomisé / silicate de soude, vitreux / silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), disodium salt / silicic acid, disodium salt / sodio silicato (=metasilicato de disodio) / sodiometasilicato / sodium metasilicate (Na <sub>2</sub> SiO <sub>3</sub> ) / sodium metasilicate, anhydrous / sodium silicate (=disodium metasilicate) / sodium silicate, powder (=disodium metasilicate)	(CAS-No.) 6834-92-0	1 - 30	Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician immediately.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Call a physician immediately.
- First-aid measures general : Call a physician immediately.

#### 4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects after skin contact : Burns.
- Symptoms/effects after eye contact : Serious damage to eyes.
- Symptoms/effects after ingestion : Burns.

#### 4.3. Immediate medical attention and special treatment, if necessary

- Other medical advice or treatment : Treat symptomatically.

# RIDE

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

#### 5.2. Unsuitable extinguishing media

No additional information available

#### 5.3. Specific hazards arising from the hazardous product

No additional information available

#### 5.4. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

#### 6.2. Methods and materials for containment and cleaning up

Methods for cleaning up : Recover mechanically the product.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.3. Reference to other sections

For further information refer to section 8 Exposure controls/personal protection" "

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Store locked up.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures/Personal protective equipment

##### Hand protection:

Protective gloves

##### Eye protection:

Safety glasses

##### Skin and body protection:

Wear suitable protective clothing

##### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : No data available

Color : Blue.

Odor : Mild odour

Odor threshold : No data available

# RIDE

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Vapor pressure at 50 °C	: No data available
Relative density	: Not applicable
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: Not applicable
Explosion limits	: Not applicable

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

sodium carbonate (497-19-8)	
LD50 oral rat	2800 mg/kg (Rat, Male/female, Experimental value)
LD50 dermal rabbit	> 2000 mg/kg (16 CFR 1500. 40, 24 h, Rabbit, Experimental value)
LC50 inhalation rat (mg/l)	2.3 mg/l (2 h, Rat, Male, Experimental value)

disodium metasilicate (6834-92-0)	
LD50 oral	770 - 820 mg/kg body weight (OECD 401: Acute Oral Toxicity, Mouse, Male/female, Experimental value)
LD50 dermal rat	> 5000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Read-across)
LC50 inhalation rat (mg/l)	> 2.06 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male/female, Read-across)

Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified

# RIDE

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Before neutralisation, the product may represent a danger to aquatic organisms.

<b>sodium carbonate (497-19-8)</b>	
LC50 fish 1	300 mg/l (Other, 96 h, Lepomis macrochirus, Static system, Fresh water, Experimental value)
EC50 Daphnia 1	200 - 227 mg/l (Other, 48 h, Ceriodaphnia sp., Semi-static system, Fresh water, Experimental value)

<b>disodium metasilicate (6834-92-0)</b>	
LC50 fish 1	210 mg/l (Equivalent or similar to OECD 203, 96 h, Brachydanio rerio, Semi-static system, Fresh water, Experimental value)
EC50 Daphnia 1	1700 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Read-across)

#### 12.2. Persistence and degradability

<b>sodium carbonate (497-19-8)</b>	
Persistence and degradability	Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable (inorganic)
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

<b>disodium metasilicate (6834-92-0)</b>	
Persistence and degradability	Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

#### 12.3. Bioaccumulative potential

<b>sodium carbonate (497-19-8)</b>	
Log Pow	-6.19 (Estimated value)
Bioaccumulative potential	Not bioaccumulative.

<b>disodium metasilicate (6834-92-0)</b>	
Bioaccumulative potential	Bioaccumulation: not applicable.

#### 12.4. Mobility in soil

<b>sodium carbonate (497-19-8)</b>	
Log Pow	-6.19 (Estimated value)
Ecology - soil	Low potential for adsorption in soil.

<b>disodium metasilicate (6834-92-0)</b>	
Ecology - soil	No (test)data on mobility of the substance available.

#### 12.5. Other adverse effects

GWPmix comment : No known effects from this product.

### SECTION 13: Disposal considerations

#### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

### SECTION 14: Transport information

#### 14.1. Basic shipping description

In accordance with TDG

#### Transportation of Dangerous Goods

Not regulated for transport

#### 14.2. Transport information/DOT

# RIDE

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### Department of Transport

Not regulated for transport

### 14.3. Air and sea transport

#### IMDG

Not regulated for transport

#### IATA

Not regulated for transport

## SECTION 15: Regulatory information

### 15.1. National regulations

No additional information available

### 15.2. International regulations

No additional information available

#### disodium metasilicate (6834-92-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

## SECTION 16: Other information

Full text of H-phrases:

H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation

SDS Canada (GHS)

*While the descriptions, data and information contained herein are presented in good faith and believed to be current, it is provided for guidance only. Because there are so many factors that may affect processing, application or other use, we recommended that you perform an assessment to determine the suitability of the product for your particular purpose prior to use. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. No warranties of any kind, either expressed or implied, including fitness for a particular purpose, are made regarding the product described. We assume NO responsibility for any injuries sustained from misuse or misapplication of this product or that might be experienced due to inhalation, ingestion, absorption or other contact with this product. In no case shall the descriptions, information or data provided be considered a part of our terms and conditions of sale. Further, the descriptions, data and information furnished hereunder are given gratis. No obligation or liability for the description, data and information given are assumed. All such, it has been given and accepted at your risk.*