

SECTION 1: Identification

1.1. Product identifier

Product form : Mixture
 Trade name : RIG WASH
 Product group : Trade product

1.2. Recommended use and restrictions on use

Recommended use : Washing and cleaning products (including solvent based products)

1.3. Supplier

Manufacturer

AxSys Direct Manufacturing
 4523 97 Street
 T6E 5Y8 Edmonton, AB - Canada
 T 780-436-2606 - F 780-434-5904

1.4. Emergency telephone number

Emergency number : FOR EMERGENCIES INVOLVING DANGEROUS GOODS CALL CANUTEC'S 24HR NUMBER 613-996-6666

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS-CA)

Flammable liquids Category 4 H227
 Skin corrosion/irritation Category 2 H315
 Serious eye damage/eye irritation Category 1 H318
 Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS-CA labeling

Hazard pictograms (GHS-CA) :



Signal word (GHS-CA) : Danger

Hazard statements (GHS-CA) : H227 - Combustible liquid
 H315 - Causes skin irritation
 H318 - Causes serious eye damage

Precautionary statements (GHS-CA) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P264 - Wash hands, forearms and face thoroughly after handling.
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.
 P302+P352 - IF ON SKIN: Wash with plenty of water.
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 - Immediately call a POISON CENTER or doctor.
 P321 - Specific treatment (see supplemental first aid instruction on this label)
 P332+P313 - If skin irritation occurs: Get medical advice/attention.
 P362+P364 - Take off contaminated clothing and wash it before reuse.
 P370+P378 - In case of fire: Use media other than water to extinguish.
 P403 - Store in a well-ventilated place.
 P501 - Dispose of contents/container to an approved waste disposal plant

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-CA)

No data available

RIG WASH

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS-CA)
butyl glycoether	butyl glycoether 2-BE / 2-butoxy-1-ethanol / 2-butoxyethanol / 2-n-butoxyethanol / 2-normal-butoxyethanol / 3-oxa-1-heptanol / A13-0993 / beta-butoxyethanol / BGE / breaxit 8002 / BUCS / butoxyethanol / butoxyethanol, normal- / butyl cellosolve / butylcellu-sol / butylescosolve / butylethyleneglycol, ortho- / butylglycol ether / butylglycol-cellosolve / butyljaysolve / butylmonoetherglycol / butylloxitol (=2-butoxyethanol) / Caswell No. 121 / CHIMEC NR / COREXIT 7610 / DOWANOL EB / EGBE / EKTASOLVE EB / ethanol, 2-butoxy- / ethylene glycol monobutyl ether / ethylene glycol n-butyl ether / ethylene glycol normal-butyl ether / ethyleneglycol n-butyl ether / ethyleneglycolmonobutyl ether / ethyleneglycolmono-normal-butyl ether / ethyleneglycol-normal-butyl ether / GAFCOL EB / glycol ether EB / glycol ether EB acetate / glycolbutyl ether / glycolmonobutyl ether / jeffersol EB / minex BDH / monobutyl ether of ethyleneglycol / monobutylglycol ether / monoethyleneglycolmonobutyl ether / n-butoxyethanol / normal-butoxyethanol / O-butylethyleneglycol / ortho-butylethyleneglycol / POLY-SOLV EB / Substances with a flash-point above 60 °C and not more than 100 °C / Substances with a flash-point above 60 °C and not more than 100 °C, which do not belong to another class	(CAS-No.) 111-76-2	0.01 - 15	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315
sodium hydroxide	sodium hydroxide anhydrous caustic soda / Ätzsoda / B751 / caustic alkali / caustic flake / caustic flakes / caustic soda / caustic soda, bead / caustic soda, dry / caustic soda, flake / caustic soda, granular / caustic soda, lye / caustic soda, solid / caustic white / caustic, flaked / Collo-grillrein / Collo-tapetta / hydrate of soda / hydrate of sodium / hydroxide of soda / hydroxide of sodium / lessive alcaline / lessive de soude caustique / LEWIS red devil lye / lye (=sodium hydroxide) / natrium hydricum / Natriumoxidhydrat / Natriumoxyhydrat / Natron / natronlut / Seifenstein / soda lye / soda, caustic / soda, hydrate / sodio idrossido / sodium (hydroxyde de) / sodium hydrate / sodium hydrate lye / sodium hydroxide / sodium hydroxide (Na(OH)) / sodium hydroxide, bead / sodium hydroxide, dry / sodium hydroxide, flake / sodium hydroxide, granular / sodium hydroxide, pellets / sodium hydroxide, solid / soude (=hydroxyde de sodium) / white caustic	(CAS-No.) 1310-73-2	0.01 - 15	Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 3, H402

RIG WASH

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS-CA)
trisodium orthophosphate	TSP ANTISAL 4 / DRI-TRI / E339(III) / emulsiphos 440/660 / fosfato de sosa neutro / fosfato di sodio / fosfato sódico tribásico / monophosphate trisodique / Na9148 / natriumfosfaat / natriumfosfat / Natriumorthophosphat / Natriumphosphat / nutritos STP / oakite / orthophosphate de sodium / orthophosphate trisodique / ortofosfato trisódico / ortofosfato trisodio / phosphate de sodium tribasique / phosphate de soude neutre / phosphate trisodique / phosphoric acid, trisodium salt / sodium orthophosphate / sodium phosphate / tert sodium phosphate / tertiär-Natriumphosphat / tertiary sodium phosphate / tertiary-sodium orthophosphate / tert-natriumfosfaat / tert-Natriumphosphat / tert-sodium orthophosphate / tribasic sodium orthophosphate / tribasic sodium phosphate / trinatriumfosfaat / trinatriummonofosfaat / Trinatriummonophosphat / Trinatriumphosphat / trisodio fosfato / trisodium orthophosphate / trisodium phosphate / tromete / TSP	(CAS-No.) 7601-54-9	0.001 - 7.5	Skin Corr. 1A, H314 Eye Dam. 1, H318
disodium metasilicate	disodium metasilicate ácido silícico, sal disódica / anhydrous sodium metasilicate / Dinatriumtrioxosilikat / disodio metasilicato / disodium metasilicate / disodium monosilicate / Kieselsäure, Na-Salz (=Dinatriummetasilikat) / métilicate de soude / metasilicato de sodio / metasilicato di sodio / metasilicato sódico / natriummetasilicaat / Natriummetasilicat / Natriummetasilicat, wasserfrei / Natriummetasilikat / natriumsilicaat (=dinatriummetasilicaat) / Natriumsilicat (=Dinatriummetasilikat) / natriumsilikat (=dinatriummetasilikat) / Natronwasserglas, Pulver / silicate de sodium (=métilicate de disodium) / silicate de soude, atomisé / silicate de soude, vitreux / silicic acid (H ₂ SiO ₃), disodium salt / silicic acid, disodium salt / sodio silicato (=metasilicato de sodio) / sodiometasilicato / sodium metasilicate (Na ₂ SiO ₃) / sodium metasilicate, anhydrous / sodium silicate (=disodium metasilicate) / sodium silicate, powder (=disodium metasilicate)	(CAS-No.) 6834-92-0	0.01 - 7.5	Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
- First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects after skin contact : Irritation.
- Symptoms/effects after eye contact : Serious damage to eyes.

4.3. Immediate medical attention and special treatment, if necessary

- Other medical advice or treatment : Treat symptomatically.

RIG WASH

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Unsuitable extinguishing media

No additional information available

5.3. Specific hazards arising from the hazardous product

Fire hazard : Combustible liquid.

5.4. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.2. Methods and materials for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.3. Reference to other sections

For further information refer to section 8 Exposure controls/personal protection" "

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Avoid contact with skin and eyes.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

butyl glycolether (111-76-2)		
USA - ACGIH	ACGIH TWA (ppm)	20 ppm (2-Butoxyethanol (EGBE); USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
USA - ACGIH	Remark (ACGIH)	Eye & URT irr
USA - OSHA	OSHA PEL (TWA) (mg/m ³)	240 mg/m ³
USA - OSHA	OSHA PEL (TWA) (ppm)	50 ppm
sodium hydroxide (1310-73-2)		
USA - ACGIH	ACGIH Ceiling (mg/m ³)	2 mg/m ³
USA - ACGIH	Remark (ACGIH)	URT, eye, & skin irr
USA - OSHA	OSHA PEL (TWA) (mg/m ³)	2 mg/m ³

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

RIG WASH

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: No data available
Color	: pink
Odor	: Mild odour
Odor threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapor pressure	: No data available
Vapor pressure at 50 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Explosion limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: Avoid contact with hot surfaces. Heat. No flames, No sparks. Eliminate all sources of ignition.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

trisodium orthophosphate (7601-54-9)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 420: Acute Oral toxicity – Acute Toxic Class Method, Rat, Female, Experimental value)
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Read-across)
LC50 inhalation rat (mg/l)	> 0.83 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male/female, Read-across)
disodium metasilicate (6834-92-0)	
LD50 oral	770 - 820 mg/kg body weight (OECD 401: Acute Oral Toxicity, Mouse, Male/female, Experimental value)

RIG WASH

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

disodium metasilicate (6834-92-0)	
LD50 dermal rat	> 5000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Read-across)
LC50 inhalation rat (mg/l)	> 2.06 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male/female, Read-across)
butyl glycoether (111-76-2)	
LD50 dermal rat	> 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)
LD50 dermal rabbit	435 mg/kg body weight (Rabbit; Experimental value; OECD 402: Acute Dermal Toxicity; 435 mg/kg bodyweight; Rabbit; Weight of evidence; Equivalent or similar to OECD 402)
LC50 inhalation rat (mg/l)	2.17 mg/l/4h (Rat; Experimental value; 2.35 mg/l/4h; Rat; Experimental value)
LC50 inhalation rat (ppm)	450-486,Rat; Weight of evidence
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Serious damage to eyes.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

trisodium orthophosphate (7601-54-9)	
LC50 fish 1	220 mg/l (96 h, Lepomis macrochirus, Experimental value)
disodium metasilicate (6834-92-0)	
LC50 fish 1	210 mg/l (Equivalent or similar to OECD 203, 96 h, Brachydanio rerio, Semi-static system, Fresh water, Experimental value)
EC50 Daphnia 1	1700 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Read-across)
sodium hydroxide (1310-73-2)	
LC50 fish 1	45.4 mg/l (Other, 96 h, Salmo gairdneri, Static system, Fresh water, Experimental value)
EC50 Daphnia 1	40.4 mg/l (Other, 48 h, Ceriodaphnia sp., Experimental value)

12.2. Persistence and degradability

trisodium orthophosphate (7601-54-9)	
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
disodium metasilicate (6834-92-0)	
Persistence and degradability	Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
butyl glycoether (111-76-2)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air.
Biochemical oxygen demand (BOD)	0.71 g O ₂ /g substance
Chemical oxygen demand (COD)	2.2 g O ₂ /g substance
ThOD	2.305 g O ₂ /g substance
BOD (% of ThOD)	0.31

RIG WASH

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

sodium hydroxide (1310-73-2)	
Persistence and degradability	Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable (inorganic)
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

12.3. Bioaccumulative potential

trisodium orthophosphate (7601-54-9)	
Bioaccumulative potential	No bioaccumulation data available.

disodium metasilicate (6834-92-0)	
Bioaccumulative potential	Bioaccumulation: not applicable.

butyl glycolether (111-76-2)	
Log Pow	0.81 (Experimental value; BASF test; 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

sodium hydroxide (1310-73-2)	
Bioaccumulative potential	Not bioaccumulative.

12.4. Mobility in soil

trisodium orthophosphate (7601-54-9)	
Ecology - soil	No (test)data on mobility of the substance available.

disodium metasilicate (6834-92-0)	
Ecology - soil	No (test)data on mobility of the substance available.

butyl glycolether (111-76-2)	
Surface tension	0.027 N/m (25 °C)
Log Pow	0.81 (Experimental value; BASF test; 25 °C)

sodium hydroxide (1310-73-2)	
Ecology - soil	No (test)data on mobility of the substance available.

12.5. Other adverse effects

GWPmix comment : No known effects from this product.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

14.1. Basic shipping description

In accordance with TDG

Transportation of Dangerous Goods

Not regulated for transport

14.2. Transport information/DOT

Department of Transport

Not regulated for transport

14.3. Air and sea transport

IMDG

Not regulated for transport

IATA

Not regulated for transport

SECTION 15: Regulatory information

15.1. National regulations

No additional information available

15.2. International regulations

RIG WASH

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

trisodium orthophosphate (7601-54-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

disodium metasilicate (6834-92-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

butyl glycoether (111-76-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

sodium hydroxide (1310-73-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

SECTION 16: Other information

SDS Major/Minor : None

Full text of H-phrases:

H227	Combustible liquid
H302	Harmful if swallowed
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H332	Harmful if inhaled
H335	May cause respiratory irritation
H402	Harmful to aquatic life

SDS Canada (GHS)

While the descriptions, data and information contained herein are presented in good faith and believed to be current, it is provided for guidance only. Because there are so many factors that may affect processing, application or other use, we recommend that you perform an assessment to determine the suitability of the product for your particular purpose prior to use. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. No warranties of any kind, either expressed or implied, including fitness for a particular purpose, are made regarding the product described. We assume NO responsibility for any injuries sustained from misuse or misapplication of this product or that might be experienced due to inhalation, ingestion, absorption or other contact with this product. In no case shall the descriptions, information or data provided be considered a part of our terms and conditions of sale. Further, the descriptions, data and information furnished hereunder are given gratis. No obligation or liability for the description, data and information given are assumed. All such, it has been given and accepted at your risk.