

DIRECTIONS FOR USE

GENERAL CLEANING: Spray soiled area then wipe with a dry paper towel or lint-free cloth.

DISINFECTING, DEODORIZING: Remove gross filth or heavy soil prior to application. Hold container 15 - 20 cm from the surface to be treated. Spray area until it is covered with the **RTU Disinfectant Cleaner**. Allow to penetrate & remain wet for 30 seconds (for SARS-CoV-2) or 2 minutes (for most other viruses) (see "Virucidal Activity" for full list of viruses). No scrubbing necessary. Allow treated surfaces to air dry or wipe with a clean cloth, mop or sponge.

When using on food contact surfaces: counters, stovetops, highchairs, kitchen appliances, thoroughly rinse all treated surfaces with potable water. Do not use on eating utensils, glassware and dishes.

DISINFECT FOOD PROCESSING PREMISES & CONTACT SURFACES: Use to disinfect contact surfaces such as floors, walls, storage areas, counter-tops, appliances, and tables; Hold container 15 - 20 cm from the surface to be treated and spray area until it is covered with the solution. Allow **RTU Disinfectant Cleaner** to penetrate the surface and remain wet for 30 seconds (for SARS-CoV-2) or 2 minutes (for most other viruses) (see "Virucidal Activity" for full list of viruses). Wipe off with a clean cloth, mop or sponge and let air dry. Thoroughly rinse all food contact surfaces with potable water. Heavily soiled areas must be pre-cleaned before disinfecting. Food products and packaging materials must be removed or carefully protected prior to disinfection. Do not use on eating utensils, glassware and cookware.

DISINFECT ANIMAL QUARTERS & KENNELS: To disinfect pre-cleaned animal quarters and kennels, apply **RTU Disinfectant Cleaner**. Remove all animals and feed from premises. Remove all litter and droppings from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all troughs, racks, other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate the surfaces with the disinfecting solution for a period of 2 minutes (for Canine Parvovirus). Ventilate building and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. All treated equipment that will contact feed or drinking water must be rinsed with potable water before reuse.

KILLS HIV-1, HBV & HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/ OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1, Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING & DECONTAMINATION AGAINST HIV-1, HBV & HCV OF SURFACES SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks & eye coverings.

CLEANING PROCEDURES: Target surfaces must be cleaned prior to disinfection, as the presence of heavy soil on a surface may reduce the intended disinfectant efficacy of the product.

CONTACT TIME: Allow surfaces to remain wet for 1 minute. (HIV-1 is inactivated in 30 seconds, HBV & HCV are inactivated in 1 minute)

INFECTIOUS MATERIALS DISPOSAL: Any materials used in the cleaning process that may contain blood/body fluids are to be disposed of immediately in accordance with local regulations for infectious materials disposal.

EFFICACY TESTS HAVE DEMONSTRATED THAT THIS PRODUCT IS AN EFFECTIVE BACTERICIDE & VIRUCIDE IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD STAIN)

FOR ULTRASOUND TRANSDUCERS & PROBES: Use only on external surfaces of ultrasound transducers & probes. Use a clean washcloth to clean gel from the external surface of ultrasound transducer/probe to be disinfected. Then thoroughly wet probe with spray. Surface must remain wet for 2 minutes. Let air dry.

SANITIZE & DEODORIZE NON-FOOD CONTACT SURFACES: To sanitize/ deodorize hard, non-porous surfaces, hold container 15 - 20 cm from the surface to be treated. Spray area until it is covered with the product. Allow surface to remain visibly wet for 5 seconds. This product is an effective sanitizer against *Staphylococcus aureus* (Staph) (ATCC 6538) & *Klebsiella pneumoniae* (ATCC 4352). Let surface dry. For heavily soiled surfaces, a pre-cleaning step is required.

For surfaces that may come in contact with food, a potable water rinse is required. This product will not harm most surfaces: including acrylic, sealed fiberglass & vinyl. Do not use on unpainted wood.

RTU Disinfectant Cleaner is not for use on critical & semi-critical medical device surfaces.

***VIRUCIDAL ACTIVITY: RTU Disinfectant Cleaner** is an effective virucide on hard, non-porous surfaces against viruses when the treated surface is allowed to remain wet for 15 minutes; Human Immunodeficiency Virus Type-1 (HIV-1), Avian Influenza Virus (H5N1) NIBRG-14 & SARS-CoV-2 (COVID-19) for 30 seconds; Human Rotavirus (ATCC VR-2018), Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Duck Hepatitis B Virus (DHBV) & Bovine Viral Diarrhea Virus (BVDV) for 1 minute; Feline Calicivirus, Norovirus (Norwalk Virus), Canine Parvovirus & Rhinovirus Type 14 (ATCC VR-284) for 2 minutes; Poliovirus Type 1 (ATCC VR-156) for 5 minutes. Allow treated surfaces to air dry or wipe off with a clean cloth, mop or sponge.

Fast, Effective & Convenient

Antibactericidal Formula

Kills Cold † & Flu Viruses

Bleach-Free & Alcohol-Free

Orange Scented



Rapide, Efficace & Facile

Formule Antibactérienne

Tue le froid † & les virus de la grippe

Sans javel & sans alcool

Parfumé à l'Orange

RTU Disinfectant Cleaner

Nettoyant Désinfectant RTU

All Purpose Cleaner | Nettoyant Tout Usage

Cleans, Disinfects & Deodorizes | Nettoie, Désinfecte & Désodorise

Kills 99% of Bacteria* in

Kills SARS-CoV-2
(the virus that causes COVID-19)
in 30 seconds



Tue 99% des Bactéries* dans

Tue le SARS-CoV-2
(le virus qui cause le COVID-19)
en 30 secondes

Active Ingredients / Ingrédients Actifs

DIN 02510340
Lot #
Expiry Date:

Alkyl (60% C14, 30% C16, 5% C12, 5% C18)
Dimethyl benzyl ammonium chloride,..... 0.15% w/w
Alkyl (68% C12, 32% C14)
Dimethyl ethylbenzyl ammonium chloride... 0.15% w/w

NET CONTENTS / CONTENU NET

L

bullfrogproducts.ca

BullFrog Products
St.Albert, AB, T8N 6C1

Questions? Comments? 1-866-543-5276

**Staphylococcus aureus* (Staph), *Klebsiella pneumoniae* & Rhinovirus

RTU Disinfectant Cleaner intended for use in:

- Hospitals & Healthcare/Critical Care Areas: Ambulances, Anesthesia, CAT Labs, CCU, Central Supply Clinics, Dental Offices, Dialysis Clinics, Doctor's Offices, Emergency Rooms, Home Health Care, Hospices, ICU, Laboratory, Laundry Rooms, NICU, Newborn Nursery, Nursing Homes, Operating Rooms, Ophthalmic Offices, Pediatrics, PICU, Physical Therapy, Radiology, Recovery Room, Rehabilitation, Respiratory Therapy, Surgery, Transport Vehicles, X-Ray
- Animal Hospitals, Animal Life Science Laboratories, Animal Transport Vehicles, Breeding Establishments, Grooming Establishments, Kennels, Pet Shops, Tack Shops, Veterinary Clinics, Zoos
- Beauty Salons, Barber Shops, Correctional Facilities, Funeral Homes, Mortuaries
- Schools, Daycare Centers, Health Clubs, Gyms, Athletic Facilities, Airports, Transportation Terminals
- Grocery Stores, Shopping Centers, Delicatessens, Catering Facilities, Banquet Halls
- Households, Homes, Residences
- Institutional Kitchens and/or Bathrooms

RTU Disinfectant Cleaner will clean & disinfect hard, non-porous, inanimate environmental surfaces of: bed railings, cabinets, tables, chairs, counters/countertops, cables, telephones, toilet seats, toilets, sinks, bathtubs, bathroom fixtures, shower stalls, tiles, vanity tops, grocery/shopping carts, changing tables, cribs, diaper pails, trash/garbage cans, computers, desks, doorknobs, headsets, keyboards, railings, appliance exteriors, faucets, stovetops, ultrasound transducers, probes, gym equipment & mats, floors, walls, metal & stainless steel surfaces, tile & plastic surfaces.

RTU Disinfectant Cleaner cleans & disinfect non-porous personal protective safety equipment. Rinse all equipment that comes in prolonged contact with skin before reuse with clean warm water & allow to air dry.

RTU Disinfectant Cleaner cleans, disinfects & deodorizes in one step. Disinfects in 2 minutes. Leaves hard, non-porous surfaces disinfectant. Kills Rhinovirus, causative agent of the common cold, in 2 minutes!

RTU Disinfectant Cleaner is a one-step germicidal disinfectant cleaner & deodorant designed for general cleaning, disinfecting & deodorizing of hard, non-porous inanimate surfaces. Quickly removes dirt, grime, food residue, blood & other organic matter. It eliminates odors leaving surfaces smelling clean & fresh. Use where odors are a problem.

ANIMAL HOUSING FACILITIES (POULTRY/SWINE PREMISES): **RTU Disinfectant Cleaner** removes dirt, grime, blood, urine, fecal matter & other common soiled found in animal housing facilities, grooming facilities, kennels, pet stores, veterinary clinics, laboratories or other small animal facilities. It eliminates odors leaving surfaces smelling clean & fresh.

RTU Disinfectant Cleaner disinfects & deodorizes hard, non-porous inanimate surfaces in one step. Its non-abrasive formula is designed for use on hard, non-porous inanimate surfaces.

When used as directed, **RTU Disinfectant Cleaner** (contains 3000 ppm of active germicide) is effective against a broad-spectrum of micro-organisms (including bacteria, antibiotic resistant bacteria & viruses).

Respiratory illnesses attributable to Pandemic 2009 H1N1 (formerly called swine flu) are caused by Influenza A virus. **RTU Disinfectant Cleaner** is a broad-spectrum hard surface disinfectant that has been shown to be effective against Polio virus & is expected to inactivate all Influenza A viruses including Pandemic 2009 H1N1.

RTU Disinfectant Cleaner is bactericidal in the presence of organic soil (5% blood serum) against *Salmonella enterica* (ATCC 10708), *Pseudomonas aeruginosa* (ATCC 15442), *Staphylococcus aureus* (Staph) (ATCC 6538), *Methicillin Resistant Staphylococcus Aureus* (MRSA) (ATCC 33591) & *Vancomycin Resistant Enterococcus faecium* (VRE) (ATCC 51559), *Multi-Drug Resistant (MDR) Acinetobacter baumannii*, *Ceftazidime Resistant, Extended Spectrum Beta-Lactamase (ESBL) Escherichia coli* & *Klebsiella pneumoniae* New Delhi Metallo-Beta Lactamase (NDM-1) Carbapenem Resistant at 2 minutes contact time.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage & disposal.

STORAGE: Store in a dry place no lower than 10°C or higher than 50°C.

DISPOSAL: Rinse the emptied container thoroughly. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product & the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals
CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap & water after handling.

FIRST AID

Have the product container or label & Drug Identification Number (DIN) with you when calling a poison control center or doctor or going for treatment.

EYES: Hold eyes open & rinse slowly & gently with water for 15 - 20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.

You may contact 613-996-8666 for emergency medical treatment information.



French/Français Label



CAUTION

See side panels for additional precautionary statements.

Read label before using.

KEEP OUT OF REACH OF CHILDREN

MISE EN GARDE

Voir les panneaux latéraux pour des mises en garde supplémentaires.

Lire l'étiquette avant d'utiliser.

GARDER HORS DE PORTÉE DES ENFANTS