

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015) Version: 1.0

SECTION 1: Identification Product identifier 1.1. Product form : Mixture : SCUM REMOVER Trade name Product group : Trade product Recommended use and restrictions on use 1.2. : Washing and cleaning products (including solvent based products) Recommended use 1.3. Supplier Manufacturer AxSys Direct Manufacturing 4523 97 Street T6E 5Y8 Edmonton, AB - Canada T 780-436-2606 - F 780-434-5904 1.4. **Emergency telephone number** Emergency number : FOR EMERGENCIES INVOLVING DANGEROUS GOODS CALL CANUTEC'S 24HR NUMBER 613-996-6666 **SECTION 2: Hazard identification** 2.1. **Classification of the substance or mixture Classification (GHS-CA)** Not classified 22 GHS Label elements, including precautionary statements **GHS-CA** labeling No labeling applicable 2.3. **Other hazards** No additional information available Unknown acute toxicity (GHS-CA) 2.4. No data available SECTION 3: Composition/Information on ingredients 3.1. **Substances** Not applicable 3.2. **Mixtures**

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS-CA)
2-propanol	1-methylethanol / 1-methylethyl alcohol / 2-hydroxypropane / 2- propanol / 2-propanol,anhydrous / 2- propyl alcohol / Al3-01636 / AIP (=alcool isopropylique) / alcojel / alcole isopropylique) / alcohol / beta-Hydroxypropan / beta- Oxypropan / caswell No 507 / chromar (=2-propanol) / cTL R-53 reducer / dimethyl carbinol / DISK DRIVE HEAD CLEANING KIT (=2-propanol) / ethyl carbinol / ISK DRIVE HEAD CLEANING KIT (=2-propanol) / ethyl carbinol / isobol / isopropanol, anhydrous / isopropanol, anhydrous / isopropyl alcohol / isopropyl alcohol / isopropyl alcohol / isopropyl alcohol / isopropyl alcohol / isopropyl alcohol / isopropylalcohol / isopropylalcohol, watervrij / KENCO #880-T FLUX THINNER (=2-propanol) / LENS CLENS #3 (=2-propanol) / LENS CLENS #3 (=2-propanol) / LENS CLENS #3 (=2-propanol) / ubtosol / normal-propan-2-ol / n-propan-2-ol / perspirit / perspirit / pertohol / Petrosol / PRO / propan-2-ol / propanol 2 ULSI / Propol / propyl alcohol (=sec-propyl alcohol) / pseudo-propyl alcohol / secondary- propyl alcohol / sec-propanol / sec- propyl alcohol / sec	(CAS-No.) 67-63-0	1 - 20	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
disodium metasilicate	disodium metasilicate ácido silícico, sal disódica / anhydrous sodium metasilicate / Dinatriumtrioxosilikat / disodio metasilicato / disodium metasilicate / disodium monosilicate / Kieselsäure, Na-Salz (=Dinatriummetasilikat) / métasilicate de soude / metasilicato de sodio / metasilicato di sodio / metasilicato sódico / natriummetasilicat / Natriummetasilicat / Natriummetasilicat / Natriummetasilicat / Natriummetasilicat / Natriummetasilicat / Natriummetasilicat / Natriummetasilicat / Natriumsilikat / natriumsilicaat (=dinatriummetasilicaat) / Natriumsilikat (=dinatriummetasilikat) / natriumsilikat (=dinatriummetasilikat) / natriumsilikat (=dinatriummetasilikat) / silicate de soude, atomisé / silicate d	(CAS-No.) 6834-92-0	0.1 - 10	Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effe	cts (acute and delayed)
No additional information available	

ccording to the Hazardous Products Regulation	(February 11, 2015)
4.3. Immediate medical attention a	and special treatment, if necessary
Other medical advice or treatment	: Treat symptomatically.
SECTION 5: Fire-fighting measu	ures
5.1. Suitable extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Unsuitable extinguishing med	lia
No additional information available	
5.3. Specific hazards arising from	the hazardous product
Fire hazard	: Highly flammable liquid and vapour.
5.4. Special protective equipment	and precautions for fire-fighters
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release	measures
6.1. Personal precautions, protect	tive equipment and emergency procedures
No additional information available	
6.2. Methods and materials for con	•
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.3. Reference to other sections	
For further information refer to section 8 E	
SECTION 7: Handling and stora	lge
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, in	ncluding any incompatibilities
r.z. Continions for sale storage, in	
Technical measures	: Ground/bond container and receiving equipment.

SECTION 8: Exposure controls/personal protection			
8.1. Control parameters			
2-propanol (67-63-0)			
USA - ACGIH	SA - ACGIH ACGIH TWA (ppm) 200 ppm		
USA - ACGIH	ACGIH STEL (ppm)	400 ppm	
8.2. Appropriate enginee	ring controls	·	
Appropriate engineering controls	s : Ensure good ventilation of the work s	tation.	
Environmental exposure controls : Avoid release to the environment.			
8.3. Individual protection measures/Personal protective equipment			
Hand protection:			
Protective gloves			
Eye protection:			
Safety glasses			
Skin and body protection:			

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment.

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

9.1. Information on basic physical an	d chemical properties
Physical state	: Liquid
Appearance	: No data available
Color	: pink
Odor	: Mild odour
Odor threshold	: No data available
DH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapor pressure	: No data available
√apor pressure at 50 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Explosion limits	: No data available

No additional information available

SECTION 10: Stability and react	ivity
10.1. Reactivity	
Reactivity	: Highly flammable liquid and vapour.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: Avoid contact with hot surfaces. Heat. No flames, No sparks. Eliminate all sources of ignition.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological info	rmation
11.1. Information on toxicological e	iffects
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
disodium metasilicate (6834-92-0)	
LD50 oral	770 - 820 mg/kg body weight (OECD 401: Acute Oral Toxicity, Mouse, Male/female, Experimental value)
LD50 dermal rat	> 5000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Read- across)
LC50 inhalation rat (mg/l)	> 2.06 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male/female, Read-across)
2-propanol (67-63-0)	
LD50 oral rat	5840 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Experimental value)
LD50 dermal rabbit	16400 ml/kg (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value)
LC50 inhalation rat (ppm)	> 10000 ppm (Equivalent or similar to OECD 403, 6 h, Rat, Male/female, Experimental value)

Respiratory or skin sensitization

Germ cell mutagenicity

: Not classified

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12, Ecological informat	ion
SECTION 12: Ecological informat	ion
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
disodium metasilicate (6834-92-0)	
LC50 fish 1	210 mg/l (Equivalent or similar to OECD 203, 96 h, Brachydanio rerio, Semi-static system, Fresh water, Experimental value)
EC50 Daphnia 1	1700 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Read-across)
2-propanol (67-63-0)	
LC50 fish 1	9640 - 10000 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow- through system, Fresh water, Experimental value)
12.2. Persistence and degradability	
disodium metasilicate (6834-92-0)	
Persistence and degradability	Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
2-propanol (67-63-0)	
Persistence and degradability	Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	1.19 g O ₂ /g substance
Chemical oxygen demand (COD)	2.23 g O ₂ /g substance
ThOD	2.4 g O ₂ /g substance
12.3. Bioaccumulative potential	
disodium metasilicate (6834-92-0)	
Bioaccumulative potential	Bioaccumulation: not applicable.
2-propanol (67-63-0)	
Log Pow	0.05 (Weight of evidence approach, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
12.4. Mobility in soil	
disodium metasilicate (6834-92-0)	
Ecology - soil	No (test)data on mobility of the substance available.
2-propanol (67-63-0)	
Surface tension	0.021 N/m (25 °C)

Surface tension 0.021 N/m (25 °C)	
Log Pow	0.05 (Weight of evidence approach, 25 °C)
Ecology - soil No (test)data on mobility of the substance available.	
12.5. Other adverse effects	
GWPmix comment	No known effects from this product.

SECTION 13: Disposal conside	rations
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Flammable vapors may accumulate in the container.

SECTION 14: Transport information

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

according to the Hazardous Products Regulation (February 11, 2015)
14.1. Basic shipping description
In accordance with TDG
Transportation of Dangerous Goods
Not regulated for transport
14.2. Transport information/DOT
Department of Transport
Not regulated for transport
14.3. Air and sea transport
IMDG
Not regulated for transport
ΙΑΤΑ
Not regulated for transport
SECTION 15: Regulatory information

15.1. National regulations

No additional information available

15.2. International regulations

disodium metasilicate (6834-92-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

SECTION 16: Other information

SDS Major/Minor

: None

Full text of H-phrases:

H225	Highly flammable liquid and vapour
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness

SDS Canada (GHS)

While the descriptions, data and information contained herein are presented in good faith and believed to be current, it is provided for guidance only. Because there are so many factors that may affect processing, application or other use, we recommended that you perform an assessment to determine the suitability of the product for your particular purpose prior to use. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. No warranties of any kind, either expressed or implied, including fitness for a particular purpose, are made regarding the product fescribed. We assume NO responsibility for any injuries sustained from misuse or misapplication of this product or that might be experienced due to inhalation, ingestion, absorption or other contact with this product. In no case shall the descriptions, information or data provided be considered a part of our terms and conditions of sale. Further, the descriptions, data and information furnished hereunder are given gratis. No obligation or liability for the description, data and information given are assumed. All such, it has been given and accepted at your risk.